

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
AZ	Phoenix	04/06/2011	03/28/2011	Milk	pCi/l	ND	ND
CA	Los Angeles	04/06/2011	03/28/2011	Milk	pCi/l	ND	ND
CA	San Francisco	04/06/2011	03/28/2011	Milk	pCi/l	ND	ND
IA	Des Moines	04/06/2011	03/29/2011	Milk	pCi/l	ND	ND
MI	Detroit	04/06/2011	03/28/2011	Milk	pCi/l	ND	ND
NM	Albuquerque	04/06/2011	03/29/2011	Milk	pCi/l	ND	ND
OR	Portland	04/06/2011	03/28/2011	Milk	pCi/l	ND	ND
AK	Dutch Harbor	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND
AK	Dutch Harbor	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
AK	Dutch Harbor	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
AK	Dutch Harbor	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
AK	Juneau	04/04/2011	03/25/2011	Air Cartridge	pCi/m3	ND	ND
AK	Juneau	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND
AK	Juneau	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND
AK	Nome	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND
AK	Nome	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND
AK	Nome	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
ND	ND	ND	3.2	ND	ND	ND	ND	ND
ND	ND	ND	2.9	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	0.069	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
0.0121	ND	0.012	0.036	0.011	ND	ND	ND	0.018
ND	ND	ND	0.093	ND	ND	ND	ND	ND
ND	ND	ND	0.22	ND	ND	ND	ND	ND
ND	ND	ND	0.035	ND	ND	ND	ND	ND
ND	ND	ND	1.46	ND	ND	ND	ND	ND
0.14	ND	0.12	0.43	0.094	ND	ND	ND	0.14
0.101	0.012	0.13	0.39	0.076	ND	0.12	0.061	0.12

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
AL	Montgomery	04/04/2011	03/28/2011	Air Cartridge	pCi/m3	ND	ND
AL	Montgomery	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND
AL	Montgomery	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND
AL	Montgomery	04/04/2011	03/24/2011	Precipitation	pCi/l	ND	ND
AL	Montgomery	04/04/2011	03/21/2011	Precipitation	pCi/l	ND	ND
AZ	Phoenix	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
CA	Anaheim	04/04/2011	03/25/2011	Air Filter	pCi/m3	ND	ND
CA	Anaheim	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
CA	Anaheim	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
CA	Richmond	04/04/2011	03/22/2011	Precipitation	pCi/l	ND	ND
CA	Richmond	04/04/2011	03/22/2011	Precipitation	pCi/l	ND	ND
CA	Richmond	04/04/2011	03/15/2011	Precipitation	pCi/l	ND	ND
CNMI	Saipan	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND
CNMI	Saipan	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
CNMI	Saipan	04/04/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND
CNMI	Saipan	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
CNMI	Saipan	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
CT	Hartford	04/04/2011	03/25/2011	Precipitation	pCi/l	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
ND	ND	ND	0.12	ND	ND	ND	ND	ND
ND	ND	ND	0.031	ND	ND	ND	ND	0.0094
ND	ND	0.0018	0.012	ND	ND	ND	ND	ND
ND	ND	ND	16.7	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
0.261	ND	0.031	0.22	0.02	ND	ND	ND	0.023
ND	ND	ND	0.3	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	138	ND	ND	ND	ND	5.96
ND	ND	ND	138	ND	ND	ND	ND	5.96
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	0.057	ND	ND	ND	ND	ND
ND	ND	ND	0.072	ND	ND	ND	ND	ND
ND	ND	ND	0.58	ND	ND	ND	ND	ND
ND	ND	ND	0.095	ND	ND	ND	ND	ND
0.00581	ND	0.0042	0.088	ND	ND	ND	ND	0.0083
ND	ND	ND	26	ND	ND	ND	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
CT	Hartford			Precipitation	pCi/l	ND	ND
CT	Hartford	04/04/2011	03/18/2011	Precipitation	pCi/l	ND	ND
CT	Hartford	04/04/2011	03/18/2011	Precipitation	pCi/l	ND	ND
FL	Jacksonville	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND
FL	Orlando	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND
FL	Tampa	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND
GA	Atlanta	04/04/2011	03/17/2011	Precipitation	pCi/l	ND	ND
Guam	Guam	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND
Guam	Guam	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
HI	Kauai	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND
HI	Kauai	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
HI	Kauai	04/04/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND
HI	Kauai	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
HI	Kauai	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
HI	Kauai	04/04/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND
HI	Kauai	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
HI	Kauai	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
HI	Oahu	04/04/2011	03/25/2011	Air Cartridge	pCi/m3	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
ND	ND	ND	26	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
0.00731	ND	0.0082	0.14	0.011	ND	ND	ND	0.016
0.0151	0.0014	0.019	0.2	0.018	ND	ND	0.13	0.024
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	0.16	ND	ND	ND	ND	ND
ND	ND	ND	0.3	ND	ND	ND	ND	ND
ND	ND	ND	0.18	ND	ND	ND	ND	ND
ND	ND	ND	0.089	ND	ND	ND	ND	ND
0.0141	ND	0.02	0.07	ND	ND	ND	ND	0.017
ND	ND	ND	1.07	ND	ND	ND	ND	ND
0.079	ND	0.086	0.52	0.06	ND	ND	ND	0.064
0.0611	0.0083	0.075	0.39	0.042	ND	ND	ND	0.052
ND	ND	ND	0.41	ND	ND	ND	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
HI	Oahu			Air Cartridge	pCi/m3	ND	ND
HI	Oahu	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND
HI	Oahu	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
HI	Oahu	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
HI	Oahu	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
HI	Oahu	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
ID	Boise	04/04/2011	03/28/2011	Drinking Water	pCi/l	ND	ND
ID	Boise	04/04/2011	03/26/2011	Air Cartridge	pCi/m3	ND	ND
ID	Boise	04/04/2011	03/25/2011	Air Cartridge	pCi/m3	ND	ND
ID	Boise	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND
ID	Boise	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
ID	Boise	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
ID	Boise	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
ID	Boise	04/04/2011	03/22/2011	Precipitation	pCi/l	ND	ND
ID	Boise	04/04/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND
ID	Idaho Falls	04/04/2011	03/28/2011	Drinking Water	pCi/l	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
ND	ND	ND	0.41	ND	ND	ND	ND	ND
ND	ND	ND	0.25	ND	ND	ND	ND	ND
ND	ND	ND	0.81	ND	ND	ND	ND	ND
ND	ND	ND	0.14	ND	ND	ND	ND	ND
0.00641	ND	0.01	0.11	0.017	ND	ND	ND	0.026
0.093	ND	0.12	0.66	ND	ND	ND	ND	0.051
			0.2					
ND	ND	ND	0.41	ND	ND	ND	ND	ND
ND	ND	ND	0.75	ND	ND	ND	ND	ND
ND	ND	ND	0.77	ND	ND	ND	ND	ND
ND	ND	ND	0.37	ND	ND	ND	ND	ND
ND	ND	ND	0.068	ND	ND	ND	ND	ND
0.0471	0.0071	0.062	0.84	0.028	ND	ND	ND	0.051
11.2		11.6	242	ND	ND			ND
ND	ND	ND	0.5	ND	ND			ND
			ND					

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
KS	Kansas City	04/04/2011	03/21/2011	Precipitation	pCi/l	ND	ND
LA	New Orleans	04/04/2011	03/28/2011	Drinking Water	pCi/l	ND	ND
MA	Boston	04/04/2011	03/18/2011	Precipitation	pCi/l	ND	ND
MN	St. Paul	04/04/2011	03/22/2011	Precipitation	pCi/l	ND	ND
MN	St. Paul	04/04/2011	03/22/2011	Precipitation	pCi/l	ND	ND
MN	Welch	04/04/2011	03/17/2011	Precipitation	pCi/l	ND	ND
ND	Bismarck	04/04/2011	03/28/2011	Drinking Water	pCi/l	ND	ND
NV	Las Vegas	04/04/2011	03/25/2011	Air Cartridge	pCi/m3	ND	ND
NV	Las Vegas	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND
NV	Las Vegas	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND
NV	Las Vegas	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
NV	Las Vegas	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
NV	Las Vegas	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
NV	Las Vegas	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
NV	Las Vegas	04/04/2011	03/18/2011	Air Filter	pCi/m3	ND	ND
NY	Albany	04/04/2011	03/23/2011	Precipitation	pCi/l	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND								
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	32.3	ND	ND	ND	ND	ND
ND	ND	ND	32.3	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	0.8	ND	ND	ND	ND	ND
ND	ND	ND	0.61	ND	ND	ND	ND	ND
0.032	ND	0.058	0.2	ND	ND	ND	ND	0.027
ND	ND	ND	0.053	ND	ND	ND	ND	ND
ND	ND	ND	0.06	ND	ND	ND	ND	ND
0.052	ND	0.048	0.21	0.039	ND	ND	ND	0.041
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	0.096	ND	ND	ND	ND	ND
ND	ND	ND	30	ND	ND	ND	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
NY	Albany	04/04/2011	03/16/2011	Precipitation	pCi/l	ND	ND
OH	Painesville	04/04/2011	03/25/2011	Precipitation	pCi/l	ND	ND
OH	Painesville	04/04/2011	03/15/2011	Precipitation	pCi/l	ND	ND
OR	Portland	04/04/2011	03/25/2011	Drinking Water	pCi/l	ND	ND
OR	Portland	04/04/2011	03/25/2011	Precipitation	pCi/l	ND	ND
TN	Oak Ridge/K	04/04/2011	03/24/2011	Precipitation	pCi/l	ND	ND
TN	Oak Ridge/K	04/04/2011	03/17/2011	Precipitation	pCi/l	ND	ND
TN	Oak Ridge/M	04/04/2011	03/24/2011	Precipitation	pCi/l	ND	ND
TN	Oak Ridge/M	04/04/2011	03/17/2011	Precipitation	pCi/l	ND	ND
TN	Oak Ridge/Y	04/04/2011	03/24/2011	Precipitation	pCi/l	ND	ND
TN	Oak Ridge/Y	04/04/2011	03/17/2011	Precipitation	pCi/l	ND	ND
TX	Austin	04/04/2011	03/28/2011	Drinking Water	pCi/l	ND	ND
UT	Salt Lake City	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND
UT	Salt Lake City	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
VA	Lynchburg	04/04/2011	03/28/2011	Drinking Water	pCi/l	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	46.8	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND								
ND	ND	ND	86.8	ND	ND	ND	ND	ND
ND	ND	ND	17.7	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	18.3	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	13.4	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND								
ND	ND	ND	0.079	ND	ND	ND	ND	ND
0.0141	0.0029	0.018	0.35	0.019	ND	ND	ND	0.025
ND								

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
VA	Lynchburg	04/04/2011	03/28/2011	Drinking Water	pCi/l	ND	ND
WA	Olympia	04/04/2011	03/24/2011	Precipitation	pCi/l	ND	ND
WA	Olympia	04/04/2011	03/17/2011	Precipitation	pCi/l	ND	ND
WA	Richland	04/04/2011	03/28/2011	Drinking Water	pCi/l	ND	ND
WA	Seattle	04/04/2011	03/28/2011	Drinking Water	pCi/l	ND	ND
WA	Spokane	04/04/2011	03/21/2011	Milk	pCi/l	ND	ND
WA	Tacoma	04/04/2011	03/24/2011	Milk	pCi/l	ND	ND
IA	Des Moines	04/02/2011	03/21/2011	Milk	pCi/l	ND	ND
WA	Spokane	04/02/2011	03/25/2011	Milk	pCi/l	ND	ND
AK	Dutch Harbor	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND
AK	Dutch Harbor	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
AK	Dutch Harbor	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
AK	Dutch Harbor	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND
AK	Dutch Harbor	03/30/2011	03/20/2011	Air Cartridge	pCi/m3	ND	ND
AK	Dutch Harbor	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
			ND					
ND	ND	ND	125	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND			ND
		0.23						
		ND						
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	0.77	ND	ND			ND
ND	ND	ND	0.78	ND	ND	ND	ND	ND
0.072	0.053	0.077	0.077	ND	ND			0.1
0.0691	0.088	0.078	0.078	0.079	ND			0.12
ND	ND	0.52	0.52	ND	ND			ND
ND	ND	2.8	2.8	ND	ND			ND
0.0098	0.014	0.2	0.2	0.034	ND			0.028

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
AK	Dutch Harbor	03/30/2011	03/19/2011	Air Cartridge	pCi/m3	ND	ND
AK	Dutch Harbor	03/30/2011	03/19/2011	Air Filter	pCi/m3	ND	ND
AK	Dutch Harbor	03/30/2011	03/19/2011	Air Filter	pCi/m3	ND	ND
AK	Juneau	03/30/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
AK	Juneau	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
AK	Juneau	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
AK	Juneau	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND
AK	Juneau	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
AK	Juneau	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
AK	Juneau	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND
AK	Nome	03/30/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
AK	Nome	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
AK	Nome	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
AK	Nome	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND
AK	Nome	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
AK	Nome	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
AK	Nome	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND
AK	Nome	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
ND	ND	2.42	ND	ND	ND	ND	ND	ND
0.0371	0.053	0.66	0.17	ND	ND	ND	0.19	0.19
0.0431	0.063	0.69	0.29	ND	ND	ND	0.4	0.4
ND	ND	0.25	ND	ND	ND	ND	ND	ND
ND	ND	0.079	ND	ND	ND	ND	ND	ND
0.00571	0.0074	0.067	ND	ND	ND	ND	0.0043	0.0043
ND	ND	0.18	ND	ND	ND	ND	ND	ND
ND	ND	0.064	ND	ND	ND	ND	ND	ND
0.00361	0.004	0.056	ND	ND	ND	ND	0.0037	0.0037
ND	ND	0.037	ND	ND	ND	ND	ND	ND
ND	ND	0.78	ND	ND	ND	ND	ND	ND
ND	ND	0.22	ND	ND	ND	ND	ND	ND
0.0161	0.023	0.2	0.019	ND	ND	ND	0.027	0.027
ND	ND	0.34	ND	ND	ND	ND	ND	ND
ND	ND	0.068	ND	ND	ND	ND	ND	ND
ND	ND	0.096	ND	ND	ND	ND	ND	ND
ND	ND	0.41	ND	ND	ND	ND	ND	ND
ND	0.015	0.069	ND	ND	ND	ND	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
AK	Nome			Air Filter	pCi/m3	ND	ND
AK	Nome	03/30/2011	03/20/2011	Air Cartridge	pCi/m3	ND	ND
AL	Montgomery	03/30/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/20/2011	Air Cartridge	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/18/2011	Air Filter	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/15/2011	Air Filter	pCi/m3	ND	ND
CA	Anaheim	03/30/2011	03/11/2011	Air Filter	pCi/m3	ND	ND
CA	Riverside	03/30/2011	03/18/2011	Air Filter	pCi/m3	ND	ND
CA	Riverside	03/30/2011	03/15/2011	Air Filter	pCi/m3	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
ND	0.015	0.069	ND	ND	ND	ND	ND	ND
ND	ND	0.11	ND	ND	ND	ND	ND	ND
ND	ND	0.15	ND	ND	ND	ND	ND	ND
ND	ND	0.53	ND	ND	ND	ND	ND	ND
ND	ND	0.093	ND	ND	ND	ND	ND	ND
ND	0.0015	0.08	ND	ND	ND	ND	ND	ND
ND	ND	1.9	ND	ND	ND	ND	ND	ND
ND	ND	0.17	ND	ND	ND	ND	0.031	0.031
0.0171	0.021	0.15	0.022	ND	ND	ND	ND	ND
ND	ND	0.87	ND	ND	ND	ND	ND	ND
ND	ND	0.13	ND	ND	ND	ND	0.019	0.019
0.00761	0.008	0.13	0.018	ND	ND	ND	0.022	0.022
0.00121	0.0017	0.046	0.0095	ND	ND	ND	0.012	0.012
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
0.00024	0.0002	0.011	0.0011	ND	ND	ND	0.0014	0.0014
ND	ND	ND	ND	ND	ND	ND	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
CA	San Bernardino	03/30/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
CA	San Bernardino	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
CA	San Bernardino	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
CA	San Bernardino	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND
CA	San Bernardino	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
CA	San Bernardino	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
CA	San Bernardino	03/30/2011	03/20/2011	Air Cartridge	pCi/m3	ND	ND
CA	San Bernardino	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND
CA	San Bernardino	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND
CA	San Francisco	03/30/2011	03/18/2011	Air Filter	pCi/m3	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
ND	ND	0.45	ND	ND	ND	ND	ND	ND
ND	ND	0.093	ND	ND	ND	ND	ND	ND
ND	ND	0.093	ND	ND	ND	ND	ND	ND
ND	ND	1.1	ND	ND	ND	ND	ND	ND
ND	0.018	0.11	ND	ND	ND	ND	ND	ND
0.0131	0.018	0.11	0.018	0.018	ND	ND	0.027	0.027
ND	ND	0.69	ND	ND	ND	ND	ND	ND
0.00881	0.017	0.14	ND	ND	ND	ND	0.027	0.027
0.0121	0.014	0.17	0.027	0.027	ND	ND	0.031	0.031
0.00092 1	0.0013	0.068	0.0066	0.0066	0.002	0.002	0.0075	0.0075

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
CNMI	Saipan	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND
CNMI	Saipan	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
CNMI	Saipan	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
Guam	Guam	03/30/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
Guam	Guam	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
Guam	Guam	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
Guam	Guam	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND
Guam	Guam	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
Guam	Guam	03/30/2011	03/20/2011	Air Cartridge	pCi/m3	ND	ND
Guam	Guam	03/30/2011	03/19/2011	Air Cartridge	pCi/m3	ND	ND
HI	Honolulu	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
HI	Oahu	03/30/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
HI	Oahu	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
HI	Oahu	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
HI	Oahu	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND
HI	Oahu	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
HI	Oahu	03/30/2011	03/20/2011	Air Cartridge	pCi/m3	ND	ND
HI	Oahu	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
ND	ND	0.78	ND	ND	ND	ND	ND	ND
0.068	ND	0.27	ND	ND	ND	0.1	0.056	0.056
0.0331	0.04	0.24	0.036	ND	ND	ND	ND	ND
ND	ND	0.19	ND	ND	ND	ND	ND	ND
ND	ND	0.066	ND	ND	ND	ND	ND	ND
0.00341	0.0047	0.052	ND	ND	ND	0.0076	ND	ND
ND	ND	0.58	ND	ND	ND	ND	ND	ND
0.0181	0.022	0.12	0.016	ND	ND	0.028	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND
0.0051	0.007	0.23	0.006	ND	ND	0.0061	ND	ND
ND	ND	0.18	ND	ND	ND	ND	ND	ND
ND	ND	0.059	ND	ND	ND	ND	ND	ND
0.0131	0.016	0.053	ND	ND	ND	0.0087	ND	ND
ND	ND	1.4	ND	ND	ND	ND	ND	ND
0.0761	0.092	0.64	0.052	ND	ND	0.063	ND	ND
ND	ND	0.76	ND	ND	ND	ND	ND	ND
0.034	0.021	0.2	ND	ND	ND	ND	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60
HI	Oahu			Air Filter	pCi/m3	ND	ND
HI	Oahu	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND
ID	Boise	03/30/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
ID	Boise	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
ID	Boise	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND
ID	Boise	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND
ID	Boise	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND
ID	Boise	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
ID	Boise	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND
NV	Las Vegas	03/30/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND
NV	Las Vegas	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND
NV	Las Vegas	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND
NV	Las Vegas	03/30/2011	03/18/2011	Air Cartridge	pCi/m3	ND	ND
WA	Seattle	03/30/2011	03/18/2011	Air Filter	pCi/m3	ND	ND

Sorted RadNet Laboratory Analysis

Based on Sorted RadNet Laboratory Analysis

Cs-134	Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
0.034	0.021	0.2	0.2	ND	ND	ND	ND	ND
0.0281	0.036	0.14	0.14	0.02	ND	ND	0.029	0.029
ND	ND	0.49	0.49	ND	ND	ND	ND	ND
ND	ND	0.088	0.088	ND	ND	ND	ND	ND
ND	ND	0.055	0.055	ND	ND	ND	ND	ND
ND	ND	0.66	0.66	ND	ND	ND	ND	ND
0.00841	0.0096	0.098	0.098	ND	ND	ND	0.0052	0.0052
ND	ND	0.13	0.13	ND	ND	ND	ND	ND
0.0121	0.017	0.11	0.11	ND	ND	ND	0.01	0.01
ND	ND	0.35	0.35	ND	ND	ND	ND	ND
ND	ND	0.64	0.64	ND	ND	ND	ND	ND
ND	ND	1.1	1.1	ND	ND	ND	ND	ND
ND	ND	0.18	0.18	ND	ND	ND	ND	ND
0.00052	0.0004	0.013	0.013	0.0029	ND	ND	0.0034	0.0034
1	5							