

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

State	Location	Date Posted	Date Collected	Sample Type	Unit	Ba-140	Co-60	Cs-134
AK	Dutch Harbor	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Dutch Harbor	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Dutch Harbor	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	ND
AK	Dutch Harbor	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	0.0121
AK	Juneau	04/04/2011	03/25/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Juneau	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Juneau	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND	ND
AK	Nome	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Nome	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND	0.14
AK	Nome	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND	0.101
AL	Montgomery	04/04/2011	03/28/2011	Air Cartridge	pCi/m3	ND	ND	ND
AL	Montgomery	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND	ND
AL	Montgomery	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND	ND
AZ	Phoenix	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	ND
CA	Anaheim	04/04/2011	03/25/2011	Air Filter	pCi/m3	ND	ND	0.261
CA	Anaheim	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND
CA	Anaheim	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND
CNMI	Saipan	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND	ND
CNMI	Saipan	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

Cs-136	Cs-137	I-131	I-132	I-133	Te-129	Te-129m	Te-132
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	0.069	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	0.012	0.036	0.011	ND	ND	ND	0.018
ND	ND	0.093	ND	ND	ND	ND	ND
ND	ND	0.22	ND	ND	ND	ND	ND
ND	ND	0.035	ND	ND	ND	ND	ND
ND	ND	1.46	ND	ND	ND	ND	ND
ND	0.12	0.43	0.094	ND	ND	ND	0.14
0.012	0.13	0.39	0.076	ND	0.12	0.061	0.12
ND	ND	0.12	ND	ND	ND	ND	ND
ND	ND	0.031	ND	ND	ND	ND	0.0094
ND	0.0018	0.012	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	0.031	0.22	0.02	ND	ND	ND	0.023
ND	ND	0.3	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	0.057	ND	ND	ND	ND	ND
ND	ND	0.072	ND	ND	ND	ND	ND

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

CNMI	Saipan	04/04/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND	ND
CNMI	Saipan	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	ND
CNMI	Saipan	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	0.00581
FL	Jacksonville	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND	0.00731
FL	Orlando	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND	0.0151
FL	Tampa	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND	ND
Guam	Guam	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND	ND
Guam	Guam	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND
HI	Kauai	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND	ND
HI	Kauai	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND
HI	Kauai	04/04/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND	ND
HI	Kauai	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	ND
HI	Kauai	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	0.0141
HI	Kauai	04/04/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND	ND
HI	Kauai	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND	0.079
HI	Kauai	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND	0.0611
HI	Oahu	04/04/2011	03/25/2011	Air Cartridge	pCi/m3	ND	ND	ND
HI	Oahu	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND	ND
HI	Oahu	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND
HI	Oahu	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	ND
HI	Oahu	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	0.00641
HI	Oahu	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND	0.093

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

ND	ND	0.58	ND	ND	ND	ND	ND	ND	ND
ND	ND	0.095	ND	ND	ND	ND	ND	ND	ND
ND	0.0042	0.088	ND	ND	ND	ND	ND	0.0083	0.016
ND	0.0082	0.14	0.011	ND	ND	ND	ND	0.024	0.13
0.0014	0.019	0.2	0.018	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	0.16	ND	ND	ND	ND	ND	ND	ND
ND	ND	0.3	ND	ND	ND	ND	ND	ND	ND
ND	ND	0.18	ND	ND	ND	ND	ND	ND	ND
ND	ND	0.089	ND	ND	ND	ND	ND	ND	ND
ND	0.02	0.07	ND	ND	ND	ND	ND	0.017	ND
ND	ND	1.07	ND	ND	ND	ND	ND	ND	ND
ND	0.086	0.52	0.06	ND	ND	ND	ND	0.064	0.052
0.0083	0.075	0.39	0.042	ND	ND	ND	ND	ND	ND
ND	ND	0.41	ND	ND	ND	ND	ND	ND	ND
ND	ND	0.25	ND	ND	ND	ND	ND	ND	ND
ND	ND	0.81	ND	ND	ND	ND	ND	ND	ND
ND	ND	0.14	ND	ND	ND	ND	ND	ND	ND
ND	0.01	0.11	0.017	ND	ND	ND	ND	0.026	0.051
ND	0.12	0.66	ND	ND	ND	ND	ND	ND	ND

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

ID	Boise	04/04/2011	03/26/2011	Air Cartridge	pCi/m3	ND	ND	ND
ID	Boise	04/04/2011	03/25/2011	Air Cartridge	pCi/m3	ND	ND	ND
ID	Boise	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND	ND
ID	Boise	04/04/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND
ID	Boise	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	ND
ID	Boise	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	0.0471
ID	Boise	04/04/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND	ND
NV	Las Vegas	04/04/2011	03/25/2011	Air Cartridge	pCi/m3	ND	ND	ND
NV	Las Vegas	04/04/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND	ND
NV	Las Vegas	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND	0.032
NV	Las Vegas	04/04/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	ND
NV	Las Vegas	04/04/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	ND
NV	Las Vegas	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND	0.052
NV	Las Vegas	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND	ND
NV	Las Vegas	04/04/2011	03/18/2011	Air Filter	pCi/m3	ND	ND	ND
UT	Salt Lake City	04/04/2011	03/24/2011	Air Filter	pCi/m3	ND	ND	ND
UT	Salt Lake City	04/04/2011	03/21/2011	Air Filter	pCi/m3	ND	ND	0.0141
AK	Dutch Harbor	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Dutch Harbor	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	0.072
AK	Dutch Harbor	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	0.0691
AK	Dutch Harbor	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND	ND

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

ND	ND	0.41	ND	ND	ND	ND	ND	ND
ND	ND	0.75	ND	ND	ND	ND	ND	ND
ND	ND	0.77	ND	ND	ND	ND	ND	ND
ND	ND	0.37	ND	ND	ND	ND	ND	ND
ND	ND	0.068	ND	ND	ND	ND	ND	ND
0.0071	0.062	0.84	0.028	ND	ND	ND	ND	0.051
	ND	0.5	ND	ND				ND
ND	ND	0.8	ND	ND	ND	ND	ND	ND
ND	ND	0.61	ND	ND	ND	ND	ND	ND
ND	0.058	0.2	ND	ND	ND	ND	ND	0.027
ND	ND	0.053	ND	ND	ND	ND	ND	ND
ND	ND	0.06	ND	ND	ND	ND	ND	ND
ND	0.048	0.21	0.039	ND	ND	ND	ND	0.041
ND	ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	0.096	ND	ND	ND	ND	ND	ND
ND	ND	0.079	ND	ND	ND	ND	ND	ND
0.0029	0.018	0.35	0.019	ND	ND	ND	ND	0.025
	ND	0.78	ND	ND	ND			ND
	0.053	0.077	ND	ND	ND			0.1
	0.088	0.078	0.079	ND	ND	ND	ND	0.12
	ND	0.52	ND	ND	ND			ND

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

AK	Dutch Harbor	03/30/2011	03/20/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Dutch Harbor	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND	0.0098
AK	Dutch Harbor	03/30/2011	03/19/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Dutch Harbor	03/30/2011	03/19/2011	Air Filter	pCi/m3	ND	ND	0.0371
AK	Dutch Harbor	03/30/2011	03/19/2011	Air Filter	pCi/m3	ND	ND	0.0431
AK	Juneau	03/30/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Juneau	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	ND
AK	Juneau	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	0.00571
AK	Juneau	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Juneau	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	ND
AK	Juneau	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	0.00361
AK	Juneau	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Nome	03/30/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Nome	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	ND
AK	Nome	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	0.0161
AK	Nome	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Nome	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	ND
AK	Nome	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	ND
AK	Nome	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Nome	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND	ND
AK	Nome	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND	ND
AK	Nome	03/30/2011	03/20/2011	Air Cartridge	pCi/m3	ND	ND	ND

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

ND	2.8	ND	ND	ND
0.014	0.2	0.034	ND	0.028
ND	2.42	ND	ND	ND
0.053	0.66	0.17	ND	0.19
0.063	0.69	0.29	ND	0.4
ND	0.25	ND	ND	ND
ND	0.079	ND	ND	ND
0.0074	0.067	ND	ND	0.0043
ND	0.18	ND	ND	ND
ND	0.064	ND	ND	ND
0.004	0.056	ND	ND	0.0037
ND	0.037	ND	ND	ND
ND	0.78	ND	ND	ND
ND	0.22	ND	ND	ND
0.023	0.2	0.019	ND	0.027
ND	0.34	ND	ND	ND
ND	0.068	ND	ND	ND
ND	0.096	ND	ND	ND
ND	0.41	ND	ND	ND
0.015	0.069	ND	ND	ND
ND	0.11	ND	ND	ND

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

AL	Montgomery	03/30/2011	03/24/2011	Air Cartridge	pCi/m3	ND	ND	ND
CA	Anaheim	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND	ND
CA	Anaheim	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	ND
CA	Anaheim	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	ND
CA	Anaheim	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND	ND
CA	Anaheim	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND	ND
CA	Anaheim	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND	0.0171
CA	Anaheim	03/30/2011	03/20/2011	Air Cartridge	pCi/m3	ND	ND	ND
CA	Anaheim	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND	ND
CA	Anaheim	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND	0.00761
CA	Anaheim	03/30/2011	03/18/2011	Air Filter	pCi/m3	ND	ND	0.00121
CA	Anaheim	03/30/2011	03/15/2011	Air Filter	pCi/m3	ND	ND	ND
CA	Anaheim	03/30/2011	03/11/2011	Air Filter	pCi/m3	ND	ND	ND
CA	Riverside	03/30/2011	03/18/2011	Air Filter	pCi/m3	ND	ND	0.00024
CA	Riverside	03/30/2011	03/15/2011	Air Filter	pCi/m3	ND	ND	ND
CA	San Bernardino	03/30/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND
CA	San Bernardino	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	ND
CA	San Bernardino	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	ND

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

ND	0.15	ND	ND	ND
ND	0.53	ND	ND	ND
ND	0.093	ND	ND	ND
0.0015	0.08	ND	ND	ND
ND	1.9	ND	ND	ND
ND	0.17	ND	ND	0.031
0.021	0.15	0.022	ND	0.031
ND	0.87	ND	ND	ND
ND	0.13	ND	ND	0.019
0.008	0.13	0.018	ND	0.022
0.0017	0.046	0.0095	ND	0.012
ND	ND	ND	ND	ND
ND	ND	ND	ND	ND
0.0002	0.011	0.0011	ND	0.0014
4				
ND	ND	ND	ND	ND
ND	0.45	ND	ND	ND
ND	0.093	ND	ND	ND
ND	0.093	ND	ND	ND

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

CA	San Bernardino	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND	ND
CA	San Bernardino	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	ND
CA	San Bernardino	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	0.0131
CA	San Bernardino	03/30/2011	03/20/2011	Air Cartridge	pCi/m3	ND	ND	ND
CA	San Bernardino	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND	0.00881
CA	San Bernardino	03/30/2011	03/20/2011	Air Filter	pCi/m3	ND	ND	0.0121
CA	San Francisco	03/30/2011	03/18/2011	Air Filter	pCi/m3	ND	ND	0.000921
CNMI	Saipan	03/30/2011	03/21/2011	Air Cartridge	pCi/m3	ND	ND	ND
CNMI	Saipan	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND	0.068
CNMI	Saipan	03/30/2011	03/21/2011	Air Filter	pCi/m3	ND	ND	0.0331
Guam	Guam	03/30/2011	03/23/2011	Air Cartridge	pCi/m3	ND	ND	ND
Guam	Guam	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	ND
Guam	Guam	03/30/2011	03/23/2011	Air Filter	pCi/m3	ND	ND	0.00341
Guam	Guam	03/30/2011	03/22/2011	Air Cartridge	pCi/m3	ND	ND	ND
Guam	Guam	03/30/2011	03/22/2011	Air Filter	pCi/m3	ND	ND	0.0181
Guam	Guam	03/30/2011	03/20/2011	Air Cartridge	pCi/m3	ND	ND	ND

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

ND	1.1	ND	ND	ND
0.018	0.11	ND	ND	ND
0.018	0.11	0.018	ND	0.027
ND	0.69	ND	ND	ND
0.017	0.14	ND	ND	0.027
0.014	0.17	0.027	ND	0.031
0.0013	0.068	0.0066	0.002	0.0075
ND	0.78	ND	ND	ND
ND	0.27	ND	ND	0.1
0.04	0.24	0.036	ND	0.056
ND	0.19	ND	ND	ND
ND	0.066	ND	ND	ND
0.0047	0.052	ND	ND	0.0076
ND	0.58	ND	ND	ND
0.022	0.12	0.016	ND	0.028
ND	ND	ND	ND	ND



# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

ND	ND	ND	ND	ND	ND
0.007	0.23	0.006	ND	0.0061	ND
ND	0.18	ND	ND	ND	ND
ND	0.059	ND	ND	ND	ND
0.016	0.053	ND	ND	0.0087	ND
ND	1.4	ND	ND	ND	ND
0.092	0.64	0.052	ND	0.063	ND
ND	0.76	ND	ND	ND	ND
0.021	0.2	ND	ND	ND	ND
0.036	0.14	0.02	ND	0.029	ND
ND	0.49	ND	ND	ND	ND
ND	0.088	ND	ND	ND	ND
ND	0.055	ND	ND	ND	ND
ND	0.66	ND	ND	ND	ND
0.0096	0.098	ND	ND	0.0052	ND
ND	0.13	ND	ND	ND	ND
0.017	0.11	ND	ND	0.01	ND
ND	0.35	ND	ND	ND	ND
ND	0.64	ND	ND	ND	ND
ND	1.1	ND	ND	ND	ND
ND	0.18	ND	ND	ND	ND
0.0004	0.013	0.0029	ND	0.0034	ND

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

# Air Filter & Cartridge RadNet Laboratory Analysis

Based on RadNet Laboratory Analysis

5