



# R&D In Navy Phased Array Radar Research and Development

**Rob Sexton, Naval Surface Warfare Center, Dahlgren  
Division for**

**Dr. Michael A. Pollock**

Office of Naval Research, ONR 312  
Surface and Aerospace Surveillance

Second National Symposium on Multi-function Phased Array  
Technology Innovation and Development

November 18, 2009

**Approved for Public Release**



# Outline

- Surface Navy Phased Array Evolution
- Digital Array Radar (DAR) Program
- Affordable Common Radar Architecture (ACRA) Program
- Navy Phased Array Radar / Multifunction Phased Array Radar Synergies / Differences




# Navy Phased Array Radar Highlights

- Primary Navy research and development activities centered on S-band phased arrays for volume surveillance applications from surface combatants.
- Near term S&T need driven by risk reduction for Air and Missile Defense Radar (AMDR) area and ballistic missile defense multi-mission requirements
  - High sensitivity, wide dynamic range and flexible time energy management
- Longer term S&T need driven by risk reduction for affordable volume surveillance radar concepts to replace aging fleet of legacy long range surveillance systems
- The S&T strategy includes pushing hardware and software Open Architecture into the radar, not just at the radar / combat system interface




# Surface Combatant Missions

## Ship Self-defense



High power, multi-function radar (X-band)

## Volume Surveillance




High power, S-Band Advanced Radar (SBAR)



# Navy Phased Array Evolution


## Passive Array



**AEGIS AN/SPY-1**

**(Currently Deployed)**


## Active Element



**VSR**

**(Current Acquisition)**

## Digital Array




## Future Radar

- Beam Forming
- Multi-beam operation
- Flexible time energy management
- Power Aperture Gain Improvement
- Large high power aperture



# ONR Digital Array Radar (DAR) Program



## Warfighting Improvements

- Enabling technology for large S-band power aperture radars
- Improved time / energy management with multi-beam search
- Effective operations in the littoral
- Enables software upgrades as new effective techniques are discovered
- Increased dynamic range & stability

## Products


- Subsystems Developed & Tested in Lab Environment
  - Digital Receiver / Exciter
  - Digital Beamform Processor
  - Digital Signal Processor

## Products

- DAR Test Bed
- Test/Demo



# Open Architecture Radar Specification



**Process Synchronous Radar Data over Asynchronous COTS Networks**

Analog Signal Lines  
 Digital Messages (defined in DAR Interface Control Document)  
 Digital Messages (defined elsewhere, but referenced by DAR ICD)  
 Digital Messages to be defined in future

Time of Day Clock lines  
 DAR Subsystems  
 External Subsystems

**Open architecture design of radar allows subsystem development by multiple vendors**





# Digital Array Radar Architecture Highlights

- Decomposition of radar into loosely coupled subsystems with well documented interfaces allows
  - Potential for acquisition of radar subsystems in a more competitive environment
    - “Best of Breed” subsystems
    - Radar primes + smaller companies having niche technical capabilities compete for subsystem designs
  - Upgrade capability over time
  - Reuse of subsystems in other radar systems
- Time of Day control of subsystems facilitates coordination across a ship & in the future across a battle group
  - Sensor systems can understand what other sensors are doing in real time and adapt accordingly
  - Example: Electronic Support Measures (ESM) sensor can receive time of day based control messages for radar and determine what frequencies to avoid and when
- No contractor owned Intellectual Property in basic architecture and interfaces










# DAR Digital Receiver Exciter





# OA Digital Beam Forming

Fiscal Year 03 04 05 06 07

	03	04	05	06	07
					
Build :	1	2	3	4	5 Chg
Channels/Board:	4	4	4	4	12 3x
Boards:	1	2	6	18	9
Channels:	2	4	22	56	108 50x
Beams:	1	2	4	16	16 16x
Cost/Channel:	\$10K	\$10K	\$5K	\$5K	\$2.3K 25%
Size/Channel:	1U	1U	0.25U	0.25U	0.1U 10%
					

All interfaces are Ethernet

Ongoing Improvements to Size, Cost, and Capability



# Digital Processing Equipment



**Commercial Network Switch**  
Used for Data Distribution and Control





**Commercial Blade Processor Example**  
for  
Pulse compression, Doppler filtering,  
CFAR detection, tracking, control, etc



# Digital Array Radar Test Bed



Tx/Rx array




- Test Bed construction progressing from 4 - 32 - 64 channels



# ONR Affordable Common Radar Architecture (ACRA) Program



✓  
Shipboard  
Fixed Phased Array



Rotating  
Phased Array  
✓

ACRA  
Common Components

Scalable Arrays  
Receiver/Exciter  
Signal / Data Processor

5 year (FY-09 - FY-13) Program to  
Build Risk Reduction Prototype


Using a Common Set of Subsystems, Build Designs That Can  
Meet Needs of Both Rotating Phased Array & Fixed Face  
Array Installations



# ACRA Architecture

## Federated Tx & Rx Apertures

- Transmit-elevation fan beam flooded with many high gain receive beams
- Large Rx array
  - Low cost printed circuit board design
  - Scalable 48x48 to 96x96 elements
- Smaller Tx array
  - Active array design for prototype
  - Upgrade Tx independent of Rx – over time & as new technology emerges
- Reuse of several critical technologies developed by Digital Array Radar program
  - Digital exciter
  - Digital beamformer
- New technology developments
  - Rx array
  - Tx array
  - High density, low cost downconverters





# Navy PAR and MPAR Synergy/Differences

Parameter	Navy High Performance	Navy Legacy Replacement	MPAR <sup>1</sup>
Sensitivity	highest	high	high
Pulse width / duty cycle	highest / highest	higher / higher	lowest / lowest
Tunable Bandwidth	widest	wider	narrowest
Instantaneous Bandwidth	widest	wider	narrowest
# Simultaneous Beams	larger	lowest - largest (design dependent)	lowest - largest (design dependent)
Stability	highest	high	high
Dynamic Range	highest	high	moderate
Electromagnetic Compatibility	highest	highest	lowest
Polarization	linear	linear	linear (switchable) / circular

<sup>1</sup>From "MPAR Trade Studies" presentation by Mark Weber, National Symposium on Multifunction Phased Array Radar, 12 October 2007



# Comments on Navy PAR / MPAR Synergy/Differences

- MPAR past notional designs appear to be focused on large arrays of low power elements with volume production and design for manufacturability applied to control costs
  - T/R module / array technologies synergy with Navy applications unclear
- Possible potential for common elements of:
  - Digital Receiver Exciter
  - Digital Beam Forming
  - Signal Processing and Controls
- A well defined Open Architecture would allow greater opportunity for re-use across programs
  - Would require design to superset of requirements
  - Cost savings potential depends on requirement specifics and volume of purchase
    - Possible to realize cost savings for all participating parties OR only for one party (low volume DoD application with more demanding requirement could benefit, while high volume application with less demanding requirement might suffer)





# Summary

- Primary Navy research and development activities centered on S-band phased arrays for volume surveillance applications from surface combatants.
- Near term S&T need driven by risk reduction for Air and Missile Defense Radar (AMDR) area and ballistic missile defense multi-mission requirements
  - High sensitivity, wide dynamic range and flexible time energy management
- Longer term S&T need driven by risk reduction for affordable volume surveillance radar concepts to replace aging fleet of legacy long range surveillance systems
- The S&T strategy includes pushing hardware and software Open Architecture into the radar, not just at the radar / combat system interface



# Contact Information

- Rob Sexton,
  - Naval Surface Warfare Center Dahlgren Division
  - Email: [robert.d.sexton@navy.mil](mailto:robert.d.sexton@navy.mil)
- Dr. Mike Pollock,
  - Office of Naval Research
  - Email: [michael.a.pollock@navy.mil](mailto:michael.a.pollock@navy.mil)