



## U.S. Environmental Protection Agency

# Radiation Information

[Recent Additions](#) | [Contact Us](#) | [Print Version](#) Search:  [GO](#)

[EPA Home](#) > [Radiation](#) > [Information](#) > [Publications](#) > Ionizing Radiation Fact Sheet Series: No. 1

[Radiation Home](#) [News](#) [Information](#) [Topics](#) [Programs](#) [Visitors'Center](#) [Site Map](#)

[Information Home](#)

[Frequent Questions](#)

[Publications](#)

[Related Links](#)

[Glossary](#)

[Acronyms](#)

[Radionuclide Facts](#)

[Laws & Regulations](#)

[About EPA's Radiation Protection Program](#)

## Ionizing Radiation Fact Sheet Series: No. 1

Ionizing radiation is radiation that has sufficient energy to remove electrons from atoms. In this document, it will be referred to simply as radiation. One source of radiation is the nuclei of unstable atoms. For these radioactive atoms (also referred to as radionuclides or radioisotopes) to become more stable, the nuclei eject or emit subatomic particles and high-energy photons (gamma rays). This process is called radioactive decay. Unstable isotopes of radium, radon, uranium, and thorium, for example, exist naturally. Others are continually being made naturally or by human activities such as the splitting of atoms in a nuclear reactor. Either way, they release ionizing radiation. The major types of radiation emitted as a result of spontaneous decay are alpha and beta particles, and gamma rays. X rays, another major type of radiation, arise from processes outside of the nucleus.

### Alpha Particles

Alpha particles are energetic, positively charged particles (helium nuclei) that rapidly lose energy when passing through matter. They are commonly emitted in the radioactive decay of the heaviest radioactive elements such as uranium and radium as well as by some manmade elements. Alpha particles lose energy rapidly in matter and do not penetrate very far; however, they can cause damage over their short path through tissue. These particles are usually completely absorbed by the outer dead layer of the human skin and, so, alpha emitting radioisotopes are not a hazard outside the body. However, they can be very harmful if they are ingested or inhaled. Alpha particles can be stopped completely by a sheet of paper.

### Beta Particles

Beta particles are fast moving, positively or negatively charged electrons emitted from the nucleus during radioactive decay. Humans are exposed to beta particles from manmade and natural sources such as tritium, carbon-14, and strontium-90. Beta particles are more penetrating than alpha particles, but are less damaging over equally traveled distances. Some beta particles are capable of penetrating the skin and causing radiation damage; however, as with alpha emitters, beta emitters are generally more hazardous when they are inhaled or ingested. Beta particles travel appreciable distances in air, but can be reduced or stopped by a layer of clothing or by a few millimeters of a substance such as aluminum.

### Gamma Rays

Like visible light and x rays, gamma rays are weightless packets of energy called photons. Gamma rays often accompany the



Int

[Frequ  
Que](#)

[Public  
- Hov](#)

[Relat](#)

[Gloss  
- Acr](#)

[Radio  
Fact](#)

[Laws  
Regi](#)


[About  
Radi  
Prot  
Proc](#)

emission of alpha or beta particles from a nucleus. They have neither a charge nor a mass and are very penetrating. One source of gamma rays in the environment is naturally occurring potassium-40. Manmade sources include plutonium-239 and cesium-137. Gamma rays can easily pass completely through the human body or be absorbed by tissue, thus constituting a radiation hazard for the entire body. Several feet of concrete or a few inches of lead may be required to stop the more energetic gamma rays.

## X Rays

X rays are high-energy photons produced by the interaction of charged particles with matter. X rays and gamma rays have essentially the same properties, but differ in origin; i.e., x rays are emitted from processes outside the nucleus, while gamma rays originate inside the nucleus. They are generally lower in energy and therefore less penetrating than gamma rays. Literally thousands of x-ray machines are used daily in medicine and industry for examinations, inspections, and process controls. X rays are also used for cancer therapy to destroy malignant cells. Because of their many uses, x rays are the single largest source of manmade radiation exposure. A few millimeters of lead can stop medical x rays.

Penetrating Powers of Alpha & Beta Particles & Gamma Rays



## Sources of Radiation

### Natural Radiation

Humans are primarily exposed to natural radiation from the sun, cosmic rays, and naturally occurring radioactive elements found in the earth's crust. Radon, which emanates from the ground, is another important source of natural radiation. Cosmic rays from space include energetic protons, electrons, gamma rays, and x rays. The primary radioactive elements found in the earth's crust are uranium, thorium, and potassium, and their radioactive derivatives. These elements emit alpha and beta particles, or gamma rays.

### Manmade Radiation

Radiation is used on an ever increasing scale in medicine, dentistry, and industry. Main users of manmade radiation include: medical facilities such as hospitals and pharmaceutical facilities; research and teaching institutions; nuclear reactors and their supporting facilities such as uranium mills and fuel preparation plants; and Federal facilities involved in nuclear weapons production as part of their normal operation.

Many of these facilities generate some radioactive waste; and some release a controlled amount of radiation into the environment. Radioactive materials are also used in common consumer products such as digital and luminous-dial wristwatches, ceramic glazes, artificial teeth, and smoke detectors.

### Health Effects of Radiation Exposure

Depending on the level of exposure, radiation can pose a health risk. It can adversely affect individuals directly exposed as well as their descendants. Radiation can affect cells of the body, increasing the risk of cancer or harmful genetic mutations that can be passed on to future generations; or, if the dosage is large enough to cause massive tissue damage, it may lead to death within a few weeks of exposure. You can read more about the health effects from exposure to ionizing radiation from the following [fact sheet](#).

### Suggested Reading

To learn more about radiation, we suggest you read the following books:

- Cember, H. Introduction to Health Physics. New York: Pergamon Press, 1983.
- Martin, A. and Harbison, S.A. An Introduction to Radiation Protection. 3rd ed. London: Chapman and Hall, 1986.
- Shapiro, J. Radiation Protection. Cambridge: Harvard University Press, 1972.

Links to related information:

- [Ionizing Radiation Factsheet Series: No. 2](#)
- [Publications](#)

**...protecting people and the environment**

[Radiation Home](#) · [News](#) · [Topics](#) · [Information](#) · [Programs](#) · [Visitors' Center](#) · [Site Map](#)

---

[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on Tuesday, March 7th, 2006  
URL: <http://www.epa.gov/radiation/docs/ionize/402-f-98-009.htm>