

<http://environment.newscientist.com/channel/earth/mg19826514.600-curious-cloud-formations-linked-to-quakes.html> April 2008

<http://earthquake.usgs.gov/>

[New Scientist](#)|[Space](#)|[Technology](#)|[Environment](#)|[New Scientist Jobs](#)|[Subscribe to New Scientist](#)

## NewScientist Environment



### Curious cloud formations linked to quakes

- 11 April 2008
- From New Scientist Print Edition. [Subscribe](#) and get 4 free issues
- **Lynn Dicks**

 [Print](#)  [Send](#)  [Feeds](#)



[Enlarge](#)

AN unusual clouds signal the possibility of an impending earthquake? That's the question being asked following the discovery of distinctive cloud formations above an active fault in Iran before each of two large earthquakes occurred.

Geophysicists Guangmeng Guo and Bin Wang of Nanyang Normal University in Henan, China, noticed a gap in the clouds in satellite images from December 2004 that precisely matched the location of the main fault in southern Iran. It stretched for hundreds of kilometres, was visible for several hours and remained in the same place, although the clouds around it were moving. At the same time, thermal images of the ground showed that the temperature was higher along the fault. Sixty-nine days later, on 22 February 2005, an earthquake of magnitude 6.4 hit the area, killing more than 600 people.

In December 2005, a similar formation again appeared in the clouds for a few hours. Sixty-four days later, an earthquake of magnitude 6 shook the region ([International Journal of Remote Sensing, vol 29, p 1921](#)).

Guo and Wang suggest that an eruption of hot gases from inside the fault could have caused water in the clouds to evaporate. Another idea is that ionisation may be involved: Friedemann Freund at the NASA Ames Research Center in Moffett Field, California, recently demonstrated that when rocks are squeezed, positively charged ions form in the air above. The trouble is that ions usually help to form clouds, not dissipate them.

The authors say that if recognisable cloud formations precede large quakes, they could be used for prediction, but other seismologists are sceptical. "There is no physical model that explains why something would suddenly occur two months before an earthquake, and then shut off and not occur again," says Mike Blanpied of the [US Geological Survey's Earthquake Hazards Program](#).

From issue 2651 of New Scientist magazine, 11 April 2008, page 12

[Subscribe](#) | [Contact Us](#) | [FAQ / Help](#) | [Advertise](#) | [Disclaimer](#) | [Terms and Conditions](#) | [Cookies](#) | [Privacy Policy](#) | [Open Source](#) | [Site Map](#)  
[About NewScientist.com](#) | [About New Scientist magazine](#) | [Publisher Blog](#)

---

<http://www.informaworld.com/smpp/content?content=10.1080/01431160701373762>

### Cloud anomaly before Iran earthquake

**Authors:** Guangmeng Guo <sup>a</sup>; Bin Wang <sup>a</sup>

**Affiliation:** <sup>a</sup> Nanyang Normal University, Henan, 473064, China

**DOI:** 10.1080/01431160701373762

**Publication Frequency:** 24 issues per year

**Published in:** [International Journal of Remote Sensing](#), Volume [29](#), Issue [7](#) April 2008 , pages 1921 - 1928

**First Published on:** 02 January 2008

**Subjects:** [Aerial Photography - Geography \(See also Remote Sensing\)](#); [Environmental Sciences](#); [Remote Sensing](#);

**Formats available:** HTML (English) : PDF (English)

**Article Requests:** [Order Reprints](#) : [Request Permissions](#)

Purchase Article: US\$35.00 - [buy now](#)  [add to cart](#)  [[show other buying options](#) ]

<i>purchase type</i>	<i>customer type</i>	<i>online access</i>	<i>payment method</i>	<i>price</i>	
Single Article Purchase	Any	3 days	credit card	US\$35.00	<a href="#">buy now</a> <input type="checkbox"/> <a href="#">add to cart</a> <input type="checkbox"/>
Issue	Any	permanent	credit	US\$332.89	<a href="#">buy now</a> <input type="checkbox"/> <a href="#">add to cart</a> <input type="checkbox"/>

Purchase			card		
----------	--	--	------	--	--

- [Sign In](#)
- [Online Sample](#)

## Abstract

In the 1980s Russian scientists found a thermal anomaly before an earthquake and abnormal cloud above an active fault. In the following 20 years, thermal anomalies were widely studied, however abnormal cloud was seldom reported. Here geostationary satellite sensor data was used to study the abnormal cloud above the Iran active fault. The linear traces with high temperature in thick clouds spread along the main tectonic structures. Sixty-nine days later a M6.3 earthquake occurred close to the abnormal clouds. The same clouds appeared on 25 December 2005 and 64 days later a M6.0 earthquake occurred. In these two cases, the abnormal clouds indicated the rough area of the future epicentre. If geophysical measurement data, satellite thermal data and abnormal cloud data are combined, it is possible that it will contribute to earthquake studies.

[view references \(15\)](#)

---