

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

( 6 of 42 )

---

**United States Patent**  
**Cordani**

**6,315,213**  
**November 13, 2001**

---

Method of modifying weather

### **Abstract**

A method for artificially modifying the weather by seeding rain clouds of a storm with suitable cross-linked aqueous polymer. The polymer is dispersed into the cloud and the wind of the storm agitates the mixture causing the polymer to absorb the rain. This reaction forms a gelatinous substance which precipitate to the surface below. Thus, diminishing the clouds ability to rain.

---

Inventors: **Cordani; Peter** (Lake Park, FL)

Appl. No.: **09/598,660**

Filed: **June 21, 2000**

---

**Current U.S. Class:**

**239/2.1 ; 239/14.1; 252/194**

**Current International Class:**

**A01G 15/00 (20060101); A01G 015/00 ()**

**Field of Search:**

239/2.1,14.1 252/194

**References Cited** [\[Referenced By\]](#)**U.S. Patent Documents**

<a href="#">2903188</a>	September 1959	Hutchinson
<a href="#">3608810</a>	September 1971	Kooser
<a href="#">3659785</a>	May 1972	Nelson et al.
<a href="#">3690552</a>	September 1972	Plump et al.
<a href="#">3896993</a>	July 1975	Serpolay
<a href="#">4096005</a>	June 1978	Slusher
<a href="#">4600147</a>	July 1986	Fukuta et al.
<a href="#">5174498</a>	December 1992	Popovitz-Biro
<a href="#">5357865</a>	October 1994	Mather
<a href="#">5441200</a>	August 1995	Rovella, II

*Primary Examiner:* Anthony; Joseph D.*Attorney, Agent or Firm:* McHale & Slavin, P.A.***Claims***

What is claimed is:

1. A method for artificially modifying weather by seeding a rain cloud comprising:

forming an aqueous solidifier material capable of retaining over three hundred times its own weight in water, wherein said aqueous solidifier material is a cross-linked aqueous based polymer; dispersing said material into a suitable cloud formation, wherein the wind generated by the storm causes said solidifier to







## DETAILED DESCRIPTION OF THE INVENTION

It is to be understood that while a certain form of the invention is illustrated, it is not to be limited to the specific form or arrangement of parts herein described and shown. It will be apparent to those skilled in the art that various changes may be made without departing from the scope of the invention and the invention is not to be considered limited to what is shown and described in the specification and drawings.

The present invention relates to a method for artificially modifying weather by solidifying portions of a cloud in a storm such as a hurricane, by introducing polymers into the cloud. This method utilizes "superabsorbent" aqueous based polymers, preferably cross linked modified polyacrylamides which can be used in any application where aqueous solidification is permissible. An example of a superabsorbent aqueous based polymer is manufactured by JRM Chemical Inc. under the trademark H-series.

In the present invention, a solid form of the superabsorbent polymer, such as a powder, is introduced into the rain clouds of a storm in a suitable manner, for instance a aircraft may traverse the storm and release the polymer seeds or they may be released from a seeding flare delivered from the surface or from an aircraft. The amount of polymer needed is predetermined based upon the size and severity of the storm along with the absorption capacity of the polymer used. The wind of the storm provides the agitation that causes the polymer to bind with the water forming a gel-like substance. As a result of this method, wind based water storms can be artificially modified.

The use of a biodegradable polymer allows for safe use of the ocean wherein the high salinity of the water will expedite the degradation of the material. Various biodegradable superabsorbent polymers include carboxy-methylcellulose, alginic acid, cross-linked starches, cross-linked polyamino acids and a cross-linked modified polyacrylamides.

In a dry state the preferred polymer may be considered a particle having a diameter less than 4000 microns but greater than 50 microns. In a swollen state the particle may have a diameter greater than three hundred times its weight. In a totally water-swollen state, the particles contain up to about 99.98 weight percent of

water and a little as about 0.1 weight percent of polymer. Thus, such particles could hold from ten to thousands of times their own weight. By seeding a leading edge of a violent storm, such as a hurricane, the winds cause a mix of the material wherein moisture is absorbed by the material causing a shearing effect. The shearing effect causes the polymers to absorb, lose, and reabsorb water countless times. During this exchange, the weight of the water being transferred allowing for wind shearing that assists in lessening the velocity of the wind.

The shearing forces are affected by the nature of the interactions between the particles during such collisions. When attractive forces dominate, the particles will aggregate and the dispersion may destabilize.

Example: A hurricane is seeded with approximately 30,000 lbs of a superabsorbent aqueous based polymer by use of a transport plane flying through the leading edge of the storm. Within twenty seconds the polymer will obtain over 70 percent of its absorption capacity or nearly three hundred times its weight. The winds of the storm will continue to disperse the materials causing a form of internal flocculation disrupting the feeding nature of the storm. When presented close to land, the storm will not have sufficient time to reform to its previous strength.

It is to be understood that while I have illustrated and described certain forms of my invention, it is not to be limited to the specific forms herein described. It will be apparent to those skilled in the art that various changes may be made without departing from the scope of the invention and the invention is not to be considered limited to what is shown in the drawings and described in the specification.

\* \* \* \* \*



