



WORLD USA COMMENTARY WORK & MONEY LEARNING LIVING SCI / TECH A & E TRAVEL BOOKS THE HOME FORUM

Home

About Us/Help | Archive | Subscribe | Feedback | Text Edition | Search:  Go

**Special Offer: Subscribe to the Monitor for just 43 cents an issue.**



Sci/Tech > Environment  
from the January 02, 2003 edition



**WATCHING WEATHER:** During severe thunderstorms, scientists want to encourage rain before it turns into damaging hail.  
DAVE WILLIAMS/THE WICHITA EAGLE/AP

# Tinkering with clouds

**Researchers say evolving technologies could allow manipulation of major weather patterns. But should humans tamper?**

By [Peter N. Spotts](#) | Staff writer of The Christian Science Monitor

On Sept. 11, 1992, hurricane Iniki slammed into the Hawaiian island of Kauai, packing winds gusting up to 175 m.p.h.

- .....
- [COMPUTERS & TECH](#)
- .....
- [ENVIRONMENT](#)
- .....
- [SCIENCE & SPACE](#)
- .....
- Also see:
- [COLUMN SITESEEING](#)
- [COLUMN DEEP SPACE](#)
- [BLOG SCITECHBLOG](#)
- [BLOG LIBLOG](#)
- .....

- In Sci/Tech:**
- [Chinese decry toxic coverup](#)
  - [A tough look at a key environmental law](#)
  - [Oregon city builds a reputation as a hub for software revolution](#)
  - [In Montreal, delegates look](#)

SUPPORT THE MONITOR

→ **Help the Monitor.**  
[Donate now](#) to support independent journalism.

SUBSCRIBE

Subscribe:

→ [Free sample issue](#)

ADVERTISEMENT

### Apparel

- [Baby Clothes](#)
- [Buy Shoes](#)
- [Home Shopping Network](#)
- [T-Shirts - Design Online](#)

### Automotive

[Auto Parts](#)

### Business Resources

- [Business Cards](#)
- [Search Engine](#)

- [at post-Kyoto world](#)
- [Backstory: No paint, no problem](#)
- [Old ice gives new clues to climate change](#)
- [Shoppers, beware of the eBay profiteer](#)
- [In central North Carolina, there's little water anywhere](#)
- [A Thanksgiving that's out of this world](#)
- [Anyone can write a blog, but will anyone read it?](#)
- [The eye in the sky sees all](#)
- [Affordable housing goes 'green'](#)
- [After the disaster](#)
- [Cooing at the universe's baby pictures](#)
- [Backstory: Bearology in grizzly detail](#)
- [High-tech child's play](#)
- [Backstory: On the trail of an icon](#)
- [Old-fashioned printing technology brought to life on the Web](#)

**SPECIAL PROJECTS**



[Summer on Antarctic Ice](#)

[more projects...](#)

The storm inflicted an estimated \$2 billion in damage and 105 casualties, damaged or destroyed 10,000 homes and businesses, and left once-lush tropical mountainsides looking as though they'd been mowed by a giant weed-whacker.

Ross Hoffman, an atmospheric scientist, looks back on the tragedy and asks a daring question: What might it have taken to nudge the hurricane's track 70 miles farther west - just enough to avoid the damage and casualties the storm left in its wake?

Over the past two decades, the idea of modifying large-scale storms such as hurricanes has lain dormant, following 20 years of inconclusive research. Now, however, a small group of atmospheric scientists is giving the concept a fresh look.


Armed with a deeper understanding of how the storms and atmosphere work and with more

sophisticated tools to measure and model atmospheric conditions, these scientists are seeking to move from Mark Twain's lament that no one does anything about the weather toward science-fiction writer Arthur C. Clarke's vision of modifying weather for humanity's benefit.

It is a long-term vision, acknowledges Dr. Hoffman, a vice president with Atmospheric and Environmental Research, Inc., a research and consulting firm in Lexington, Mass. Tugging on a hurricane's atmospheric reins is at least 30 to 40 years away, he estimates.

Others, such as Massachusetts Institute of Technology atmospheric scientist Kerry Emanuel, suggest such capabilities are "perhaps 100 years out."

"Before we can really control weather," Hoffman says, "we have to be

- .....
-  [E-mail this story](#)
-  [Write a letter to the Editor](#)
-  [Printer-friendly version](#)
-  [Permission to reprint/republish](#)

.....

**Graphic:** [How cloud seeding works](#)

.....

**E-mail Newsletter**

Get all of today's headlines, or alerts on specific topics. [Subscribe for free.](#)

.....

[Optimization, Inc.](#)  
[Search Engine](#)  
[Optimization Services](#)

**Financial**

[Car Insurance](#)  
[Buy Stocks for \\$4. Get \\$25](#)

**Gifts**

[Engagement Rings](#)  
[Italian Charms Sale!](#)  
[Live Maine Lobster](#)  
[Send Flowers - Florists](#)

**Graphic Design**

[Logo Design - LogoBee](#)

**Home & Garden**

[Find Great Furniture](#)  
[Northern Tools](#)

**Legal Services**

[Find A Lawyer](#)

**Real Estate**

[Home Foreclosures](#)  
[Home Loans](#)  
[Moving](#)  
[Moving Companies](#)  
[Mortgage Calculator](#)  
[Real Estate](#)

**Travel**

[City Hotels](#)  
[Hotels](#)  
[Hotel Reviews](#)

**Web Services**

[Cheap Web Hosting](#)  
[Dedicated Servers](#)  
[Email Hosting](#)  
[Web Hosting](#)

**MONITOR ARCHIVE**

**New!** Search the [Monitor Historic Archive](#) for articles from 1908 to 1980.

able to observe the weather and forecast the weather much better than we do now."

More broadly, he adds, society must grapple with an increasingly common question as science places in human hands the ability to manipulate a range of physical processes at their most fundamental levels: "Even if we can do this, is this something we really want to do?"

### Human activity has been a factor in weather

Indeed, humans have been modifying weather inadvertently as well as intentionally for decades.

For example, researchers in 1998 and 1999 looked at the impact of air pollution over the Indian Ocean. They found an unexpectedly large amount of pollution, including dark soot and the much tinier dark aerosols, over the northern Indian Ocean. The soot came from burning coal and wood and from inefficiently burned diesel fuel on the Indian subcontinent. Researchers discovered that the soot and dark aerosols reradiated heat from the sun, drying out the surrounding air and suppressing cloud formation.

Meanwhile, according to the United Nations' World Meteorological Organization (WMO), at least 25 countries are engaged in weather modification projects to enhance rain and snowfall, or suppress hail. In the United States, 12 states have had weather modification programs. Texas runs a program at the county level for rain enhancement, while North Dakota is focusing on hail suppression.

These efforts have grown out of research dating back to the late 1940s, when scientists first discovered that dry ice and silver iodide particles could act as seeds to stimulate droplet formation in clouds.

While the concept has been easy to demonstrate in the lab, meeting the same level of scientific proof in the field has been more difficult.

A range of studies over the years has cast doubts on cloud-seeding techniques ([see chart](#)), especially the use of dry ice particles.

Recent articles are as little as 15 cents each.

**TREELESS EDITION®**

Subscribe to the Treeless Edition!

#### E-mail Alerts

- [Environment](#)
- [Politics](#)
- [Ethics](#)
- [More topics...](#)

Sign up now:


**CONTACT US**

- [Advertise with us](#)
- [Customer Service](#)

#### In the Classroom

Classroom programs for teachers and students.

Natural variability in clouds and rainfall make it hard to verify scientifically if seeding is having any affect, says Brant Foote, director of the research applications program at the National Center for Atmospheric Research in Boulder, Colo.

Researchers seeded hurricanes in a 20-year federal research project dubbed Project Storm Fury. Scientists were testing the idea that seeding could be used to take some of the punch out of hurricanes before they made landfall. But the program foundered on inconclusive results.

Federal funds for weather-modification research have dried up as well. According to Colorado State University atmospheric scientist William Cotton, federal dollars for weather modification research peaked at roughly \$19 million a year in the 1970s. They dropped to less than \$5 million a year during the '90s, and now hover at about \$500,000.


The field has entered what Dr. Cotton calls the "dark ages," where weather-modification programs are forging ahead with little or no scientific research programs to back them. The efforts are driven by dwindling groundwater supplies in many parts of the world, along with the demands growing populations are placing on rivers and reservoirs.

Yet, some analysts say, the science behind climate and meteorology has advanced to the point where weather modification deserves another, closer look.

"We know so much more about the physics, and computer modeling is so much better, that it's time to revisit the subject," says James Baker, former head of the National Oceanic and Atmospheric Administration.

Before leaving office, Dr. Baker commissioned a National Research Council study on weather-modification science and future research needs. The results are due by April.

In the meantime, researchers are finding funds where they can. Hoffman, for example, has drawn funding from the National



Aeronautics and Space Administration's Institute for Advanced Concepts in Atlanta for modeling studies he and his colleagues have been carrying out on hurricane Iniki. "We're not aiming to eliminate hurricanes, but to control their paths so they do not strike population centers," he says.

Initial results in a "proof of concept" simulation suggest that Iniki could have been nudged sufficiently with one-time changes in sea-level temperatures and winds roughly 30 hours before landfall. To trigger those changes artificially in one shot, however, "would take way too much energy.... It's unrealistic," Hoffman acknowledges.

He adds, however, that any operational system for steering severe storms would likely make several less energy-intensive changes as time progresses. A second round of modeling now under way is aimed at more clearly identifying the energy needs such efforts might require.

MIT's Dr. Emanuel notes that while some of the approaches to delivering or removing the energy needed to shift weather systems are exotic, they needn't be.

Even a 1 degree Celsius change in temperature can have a large effect over time, he notes. That change could be achieved by having aircraft lay out "black contrails" - thin manmade clouds - roughly 600 miles long and 60 miles wide to cool the atmosphere beneath by obscuring sunlight.

### **Potential ethical and legal implications**

Yet as researchers weigh the scientific and technical aspects of large-scale weather modification, they remain mindful of its two-edged nature.

Hoffman notes that during the Vietnam War, the US military seeded monsoon clouds in Operation Popeye in an attempt to use weather to hamper troop and supply movements along the Ho Chi Minh Trail. When information about the program was declassified in the mid-1970s, the international community established the UN Convention on the Prohibition of Military or Any Other Hostile Use of

 [Click to learn more...](#)

---

-- Sponsored Links --

[\(About these ads\)](#)

**Buy Factory-Direct  
Lawn and Garden  
Equipment**

Manufacturer of heavy duty lawn and garden carts, trailers and wagons. Designed for years of service. Free shipping for the continental US.

[www.countrylawn-g...](http://www.countrylawn-g...)

**BLT Roll-Out Garage  
Floor Covering**

Better Life Technology has developed unique roll-out garage flooring that beautifies in minutes and protects floors for years. Sizes up to 10' wide available. Helps prevent concrete damage.

[www.bltilc.com](http://www.bltilc.com)

**Furniture at  
Target.com**

Shop for beautiful home, bedroom, and dining room furniture. Save 10-20% at Target.com.

[www.target.com](http://www.target.com)

**2.75% Fixed Student  
Loan Consolidation**

Take advantage of rates as low as 2.75% at NextStudent®. Lower your student loan payments by up to 60% or more. Flexible payment options - pre-qualify online in 1 minute

## Environmental Modification Techniques.

Several scientific bodies, such as the WMO and the US American Meteorological Society, have issued cautionary policy statements on weather modification.

But Hoffman notes that a broader discussion is needed as technologies emerge that make large-scale weather modification possible. "If these trends continue, in a few decades we'll have all the parts we need to put a system together."

The ethical and legal implications are vast, he says. "Any change in weather helps some people and hurts others. Cost versus benefit is a difficult question. Is this something we want to do?"



[E-mail this story](#)



[Write a letter to  
the Editor](#)



[Printer-friendly  
version](#)



[Permission to  
reprint/republish](#)

---

## For further information:

- [Progress in planned weather modification research: 1991-1994](#)  
American Geophysical Union
- [Weather Modification by Cloud Seeding-A Status Report 1989-1997](#)  
Colorado State University
- [Oklahoma Weather Modification Program](#)
- [Does Weather Modification Really Work?](#) Texas Water Resources Institute (1994)

Please Note: The Monitor does not endorse the sites behind these links. We offer them for your additional research. Following these links will open a new browser window.

- Visit the [Monitor Web Directory](#): sites we like.
- 

[back to top](#)

---

**Most-viewed stories:**

(for 11/27/05)

11/25/05

[Next target in AIDS fight:  
sugar daddies](#)

11/28/05

[Chinese decry toxic  
coverup](#)

11/28/05

[Indian Air Force, in war  
games, gives US a run](#)

11/28/05

[The Iraq story: how troops  
see it](#)

11/28/05

[Throw some cold water on  
free trade](#)

[Home](#) | [About Us/Help](#) | [Feedback](#) | [Subscribe](#) | [Archive](#) | [Print Edition](#) | [Site Map](#) | [RSS](#) | [Special Projects](#) | [Corrections](#)  
[Contact Us](#) | [Privacy Policy](#) | [Rights & Permissions](#) | [Advertise With Us](#) | [Today's Article on Christian Science](#) | [Web Directory](#)

www.csmonitor.com | Copyright © 2005 The Christian Science Monitor. All rights reserved.