

CA WQM Analysis [\(Help?\)](#)

| | | |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Select the data source: | <input type="radio"/> Chemical <input checked="" type="radio"/> Chemhist <input type="radio"/> Chemarcv | System Number: 0710003 System Name: Contra Costa Water District HQNAME: Contra Costa Water District City: Concord State: CA Address: P.O. Box H20 |
| 2. Enter the system number: | 0710003 OR -- Filter systems (reset) By County -- OR By City -- | |
| 3. Enter the Chemical number/name: | 78885 OR -- | |
| 4. Select Date Range: | 1997-01-01 TO 1999-01-01 ≥ 1995-01-01 ≤ 2001-12-31 | |
| 5. Graph Properties: | Width: 1000 Height: 400 <input type="button" value="Generate Graph"/> -- | |

6. Generated Graph:

Area Info.

System Name = Contra Costa Water District
 Laboratory Number = SEQUOIA ANALYTICAL (REDWOOD CITY, CA)
 Laboratory Area = 415
 Laboratory Tel. = 3649600

Chemical Info.

Chemical Name = DIQUAT (78885)
 RPHL = 15 (UG/L)
 MCL = 20 RCL = 0
 MDL = 4

Data source: California Department of Health Sciences Drinking Water Program MS-7416 Sacramento, CA 95899-7377

No. of Graph Points = 43

