

CA WQM Analysis [\(Help?\)](#)

1. Select the data source:	<input type="radio"/> Chemical <input type="radio"/> Chemhist <input checked="" type="radio"/> Chemarcv	System Number: 0710003 System Name: Contra Costa Water District HQNAME: Contra Costa Water District City: Concord State: CA Address: P.O. Box H2O
2. Enter the system number:	0710003 OR -- Filter systems (reset) By County -- OR By City --	
3. Enter the Chemical number/name:	01097 OR --	
4. Select Date Range:	1991-01-01 TO 1993-01-01 ≥ 1986-10-07 ≤ 1994-12-31	
5. Graph Properties:	Width: 1000 Height: 400 <input type="button" value="Generate Graph"/> --	

6. Generated Graph:

Area Info.

System Name = Contra Costa Water District
 Laboratory Number = CONTRA COSTA WATER DISTRICT
 Laboratory Area = 925
 Laboratory Tel. = 6888090

Chemical Info.

Chemical Name = ANTIMONY (01097)
 RPHL = 0 (UG/L)
 MCL = 6 RCL = 0
 MDL = 6

Data source: California Department of Health Sciences Drinking Water Program MS-7416 Sacramento, CA 95899-7377

No. of Graph Points = 22

