

CA WQM Analysis [\(Help?\)](#)

1. Select the data source:	<input type="radio"/> Chemical <input checked="" type="radio"/> Chemhist <input type="radio"/> Chemarcv	System Number: 0710003 System Name: Contra Costa Water District HQNAME: Contra Costa Water District City: Concord State: CA Address: P.O. Box H20
2. Enter the system number:	0710003 OR <input type="text" value="--"/>	
Filter systems (reset) By County <input type="text" value="--"/> OR By City <input type="text" value="--"/>		
3. Enter the Chemical number/name:	01020 OR <input type="text" value="--"/>	
4. Select Date Range:	1999-01-01 <input type="text" value="--"/> TO 2001-12-31 <input type="text" value="--"/> ≥ 1995-01-01 ≤ 2001-12-31	
5. Graph Properties:	Width: 1000 Height: 400 <input type="button" value="Generate Graph"/> <input type="text" value="--"/>	

6. Generated Graph:

Area Info.

System Name = Contra Costa Water District
Laboratory Number = SEQUOIA ANALYTICAL (REDWOOD CITY, CA)
Laboratory Area = 415
Laboratory Tel. = 3649600

Chemical Info.

Chemical Name = BORON (01020)
RPHL. = 0 (UG/L)
MCL = 0 RCL = 0
MDL = 100

Data source: California Department of Health Sciences Drinking Water Program MS-7416 Sacramento, CA 95899-7377

No. of Graph Points = 67

