

CA WQM Analysis [\(Help?\)](#)

1. Select the data source:	<input checked="" type="radio"/> Chemical <input type="radio"/> Chemhist <input type="radio"/> Chemarcv	System Number: 0710003 System Name: Contra Costa Water District HQNAME: Contra Costa Water District City: Concord State: CA Address: P.O. Box H2O
2. Enter the system number:	0710003 OR -- <input type="text"/> Filter systems (reset) By County -- <input type="text"/> OR By City -- <input type="text"/>	
3. Enter the Chemical number/name:	38432 OR -- <input type="text"/>	
4. Select Date Range:	2002-01-01 <input type="text"/> TO 2008-03-24 <input type="text"/> ≥ 2002-01-01 ≤ 2008-03-24	
5. Graph Properties:	Width: <input type="text" value="1000"/> Height: <input type="text" value="400"/> <input type="button" value="Generate Graph"/> -- <input type="text"/>	

6. Generated Graph:

Area Info. System Name = Contra Costa Water District Laboratory Number = BSK ANALYTICAL LABORATORIES Laboratory Area = 559 Laboratory Tel. = 4972888	Chemical Info. Chemical Name = DALAPON (38432) RPHL. = 0 (UG/L) MCL = 200 RCL = 0 MDL = 10
---	---

Data source: California Department of Health Sciences Drinking Water Program MS-7416 Sacramento, CA 95899-7377
 No. of Graph Points = 41

