

## CA WQM Analysis [\(Help?\)](#)

<b>1. Select the data source:</b>	<input checked="" type="radio"/> Chemical <input type="radio"/> Chemhist <input type="radio"/> Chemarcv	<b>System Number:</b> 0710003 <b>System Name:</b> Contra Costa Water District <b>HQNAME:</b> Contra Costa Water District <b>City:</b> Concord <b>State:</b> CA <b>Address:</b> P.O. Box H2O
<b>2. Enter the system number:</b>	0710003 OR -- Filter systems <a href="#">(reset)</a> By County -- OR By City --	
<b>3. Enter the Chemical number/name:</b>	81287 OR --	
<b>4. Select Date Range:</b>	2002-01-01 TO 2008-03-24 ≥ 2002-01-01 ≤ 2008-03-24	
<b>5. Graph Properties:</b>	Width: 1000 Height: 400	
	<input type="button" value="Generate Graph"/> --	

### 6. Generated Graph:

#### Area Info.

System Name = Contra Costa Water District  
 Laboratory Number = BSK ANALYTICAL LABORATORIES  
 Laboratory Area = 559  
 Laboratory Tel. = 4972888

#### Chemical Info.

Chemical Name = DINOSEB (81287)  
 RPHL = 0 (UG/L)  
 MCL = 7 RCL = 100  
 MDL = 2

Data source: California Department of Health Sciences Drinking Water Program MS-7416 Sacramento, CA 95899-7377

No. of Graph Points = 41

